




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Rhythm

Volume
355USG | 1350 L

Standby Power* 208 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
251 Watts

Total annual power consumption in standby mode*: 1822 kWh

Annual Standby Energy Cost* = 1822 x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg,
Tested Cover Model: 300306, 303940, 303937

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B



Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg Model : Relay	Volume 345 USG 1300 L
Standby Power* 214 Watts	
<div style="display: flex; align-items: center; justify-content: center;"> <div style="text-align: center; margin-right: 20px;"> <p>50 W</p> </div> <div style="text-align: center; margin-right: 20px;"> <p>214 Watts</p> </div> <div style="text-align: center; margin-left: 20px;"> <p>450 W</p> </div> </div> <p style="text-align: center; margin-top: 10px;">Average Standby Power Range of Spa Models</p>	
<p>Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14: 246 Watts</p>	
<p>Total annual power consumption in standby mode*: 1875 kWh</p>	
<p>Annual Standby Energy Cost* = 16¢ 16¢ Energy Rate (cost per kilowatt hour in your area)</p>	
<p>* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.</p>	
<p>Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.</p>	
<p>Tested Cover Manufacturer: Watkins Mfg. Tested Cover Model: 300306, 303940, 303937</p>	
<p>Power calculated based on standby testing @ 60°F (16°C). Actual values will vary based on use.</p>	

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Propel

Volume
310 USG | 1175 L

Standby Power* 185 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
229 Watts

Total annual power consumption in standby mode*: 1621 kWh

Annual Standby Energy Cost* = $1621 \times$ Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg
Tested Cover Model: 302303, 303955, 303958

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Tempo

Volume
415USG | 1575

Standby Power* 238 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
278 Watts

Total annual power consumption in standby mode*: 2085 kWh

Annual Standby Energy Cost* = ~~2085~~ Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg
Tested Cover Model: 302088, 303946, 303943

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B



Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg Model : Stride	Volume 215 USG 825 L
Standby Power* 170 Watts	
<p>170 Watts</p> <p>50 W Average Standby Power Range of Spa Models 450 W</p>	
<p>Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14: 179 Watts</p> <p>Total annual power consumption in standby mode*: 1489 kWh</p> <p>Annual Standby Energy Cost* = 1489 Energy Rate (cost per kilowatt hour in your area)</p> <p>* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.</p> <p>Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.</p> <p>Tested Cover Manufacturer: Watkins Mfg. Tested Cover Model: 302141, 303949, 303952</p> <p>Power calculated based on standby testing @ 60°F (16°C). Actual values will vary based on use.</p>	

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : SX

Volume
285 USG | 1075 L

Standby Power* 156 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
217 Watts

Total annual power consumption in standby mode*: 1367 kWh

Annual Standby Energy Cost* = 1367 x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.

Tested Cover Model: 302191, 303928, 303925

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Stride

Volume
215 USG | 825 L

Standby Power* 170 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
179 Watts

Total annual power consumption in standby mode*: 1489 kWh

Annual Standby Energy Cost* = 1489 x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.

Tested Cover Model: 302141, 303949, 303952

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Propel

Volume
310 USG | 1175 L

Standby Power* 185 Watts

185 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
229 Watts

Total annual power consumption in standby mode*: 1621 kWh

Annual Standby Energy Cost* = $\frac{1621}{1000}$ x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.
Tested Cover Model: 302303, 303955, 303958

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Rhythm

Volume
355USG | 1350 L

Standby Power* 208 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
251 Watts

Total annual power consumption in standby mode*: 1822 kWh

Annual Standby Energy Cost* = $1822 \times$ Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.
Tested Cover Model: 300306, 303940, 303937

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B



Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg Model : Relay	Volume 345JSG 1300 L
Standby Power* 214 Watts	
<p style="text-align: center;">214 Watts</p> <p style="text-align: center;">Average Standby Power Range of Spa Models</p>	
Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14: 246 Watts	
Total annual power consumption in standby mode*: 1875 kWh	
Annual Standby Energy Cost* = $\frac{1875}{12}$ Energy Rate (cost per kilowatt hour in your area)	
<small>* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.</small>	
<small>Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.</small>	
<small>Tested Cover Manufacturer: Watkins Mfg.</small>	
<small>Tested Cover Model: 300306, 303940, 303937</small>	
<small>Power calculated based on standby testing @ 60°F (16°C). Actual values will vary based on use.</small>	

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B



Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg Model : Tempo	Volume 415USG 1575
Standby Power* 238 Watts	
<p>238 Watts</p> <p>50 W Average Standby Power Range 450 W of Spa Models</p>	
Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14: 278 Watts	
Total annual power consumption in standby mode*: 2085 kWh	
Annual Standby Energy Cost* = $2085 \times \text{Energy Rate}$ (cost per kilowatt hour in your area)	
<small>* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.</small>	
<small>Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.</small>	
<small>Tested Cover Manufacturer: Watkins Mfg.</small>	
<small>Tested Cover Model: 302088, 303946, 303943</small>	
<small>Power calculated based on standby testing @ 60°F (16°C). Actual values will vary based on use.</small>	

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer: Watkins Mfg
Model: Grandee

Volume
450 USG | 1700 L

Standby Power* 196 Watts

196 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
260 Watts

Total annual power consumption in standby mode*: 1717 kWh

Annual Standby Energy Cost* = 1717 x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.

Tested Cover Model: 303680, 302816, 302819, 302822, 303694, 303643, 303646, 303649

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B



Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg Model : Envoy	Volume 390 USG 1475 L
Standby Power* 185 Watts	
<p>185 Watts</p> <p>50 W Average Standby Power Range 450 W of Spa Models</p>	
<p>Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14: 240 Watts</p> <p>Total annual power consumption in standby mode*: 1621 kWh</p> <p>Annual Standby Energy Cost* = $\frac{1621}{1000}$ x Energy Rate (cost per kilowatt hour in your area)</p> <p>* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.</p> <p>Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent. Tested Cover Manufacturer: Watkins Mfg. Tested Cover Model: 303682, 302828, 302831, 302834, 303696, 303655, 303658, 303661</p> <p style="text-align: center;">Power calculated based on standby testing @ 60°F (16°C). Actual values will vary based on use.</p>	

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B



Portable Electric Spa ENERGY GUIDE

Manufacturer: Watkins Mfg Model: Triumph	Volume: 340USG 1275 L
Standby Power* 160 Watts	
<div style="display: flex; align-items: center; justify-content: center;"> <div style="text-align: center; margin-right: 20px;"> 160 Watts ▼ </div> <div style="text-align: center; margin-left: 20px;"> 50 W 450 W </div> </div> <p style="text-align: center; margin-top: 10px;">Average Standby Power Range of Spa Models</p>	
<p>Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14: 223 Watts</p> <p>Total annual power consumption in standby mode*: 1402 kWh</p> <p>Annual Standby Energy Cost* = 1402 x Energy Rate (cost per kilowatt hour in your area)</p> <p>* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.</p> <p>Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent. Tested Cover Manufacturer: Watkins Mfg. Tested Cover Model: 303626, 303629, 303632, 303697</p> <p style="text-align: center;">Power calculated based on standby testing @ 60°F (16°C). Actual values will vary based on use.</p>	

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Vanguard

Volume
335 USG | 1268 L

Standby Power* 162 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
221 Watts

Total annual power consumption in standby mode*: **1419 kWh**

Annual Standby Energy Cost* = ~~1419~~ x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.

Tested Cover Model: 303684, 302840, 302843, 302846

**Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.**

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Jetsetter

Volume
200 USG | 750 L

Standby Power* 124 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
168 Watts

Total annual power consumption in standby mode*: **1086 kWh**

Annual Standby Energy Cost* = $\frac{1086}{1000}$ x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.

Tested Cover Model: 303688, 302876, 302879, 302882

Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B




Portable Electric Spa ENERGY GUIDE

Manufacturer : Watkins Mfg
Model : Aria

Volume
325 USG | 1225 L

Standby Power* 160 Watts



Maximum standby power allowed for this size spa under California Title 20, and ANSI/APSP-14:
217 Watts

Total annual power consumption in standby mode*: **1402 kWh**

Annual Standby Energy Cost* = 1402 x Energy Rate (cost per kilowatt hour in your area)

* Data is based on standard test procedure for Portable Electric Spas as stipulated in ANSI/APSP-14. Note: This is the amount of power used at test conditions and does not include spa usage or extreme cold conditions. This data should be used only for comparison of spa models. Power is not monthly energy consumption.

Based on testing with the spa manufacturer's specified cover. This spa must be sold with this cover or a manufacturer's approved equivalent.

Tested Cover Manufacturer: Watkins Mfg.

Tested Cover Model: 303684, 302840, 302843, 302846

**Power calculated based on standby testing @ 60°F (16°C).
Actual values will vary based on use.**

This Label Must Remain Adhered to Spa Until Point of Sale.

1520901-1/B